ELSEVIER

Brain Research 691 (1995) 248–249

BRAIN RESEARCH

Author Index

Aaron, G.B., see Alloway, K.D. (691) 46
Abdel-Rahman, A.A., see El-Mas, M.M. (691) 195
Afeche, S.C., see Cipolla-Neto, J. (691) 133
Agid, Y., see Faucheux, B.A. (691) 115
Akiyama, H., see Tooyama, I. (691) 235
Alloway, K.D., Johnson, M.J. and Aaron, G.B.
A comparative analysis of coordinated neuronal activity in the thalamic ventrobasal complex of rats and cats (691) 46
Anastasijević, R., see Ljubisavljević, M. (691) 99
Anderson, J.J., see Anderson, L.A. (691) 106
Anderson, L.A., Anderson, J.J., Chase, T.N. and Walters, J.R.
The cannabinoid agonists WIN 55,212-2 and CP 55,940 attenuate rotational behavior induced by a dopamine D_1 but not a D_2 agonist in rats with unilateral lesions of the nigrostriatal pathway (691) 106
Ariga, K., see Tsunoda, K. (691) 18

Baba, H., see Shimizu, T. (691) 92
Balasubramaniam, A., see Chance, W.T. (691) 180
Bartol, I., see Cipolla-Neto, J. (691) 133
Bohn, M.C., see Yoshimoto, Y. (691) 25
Borchers, M., see Chance, W.T. (691) 180
Borredon, J., see Vaucher, E. (691) 57
Breakefield, X.O., see Yoshimoto, Y. (691) 25
Brown, T.J., see Kühnemann, S. (691) 229
Busto, R., see Takagi, K. (691) 160
Butler, S.M., see Pettigrew, L.C. (691) 243

Chai, S.Y., see Jenkins, T.A. (691) 213
Chance, W.T., Balasubramaniam, A., Borchers, M. and Fischer, J.E.
Refractory hypothalamic adenylate cyclase in anorectic tumor-bearing rats: implications for NPY-induced feeding (691) 180
Chase, T.N., see Anderson, L.A. (691) 106
Chen, S.-H., see Çolak, A. (691) 76
Cipolla-Neto, J., Bartol, I., Seraphim, P.M., Afeche, S.C., Scialfa, J.H. and Peraçoli, A.M.
The effects of lesions of the thalamic intergeniculate leaflet on the pineal metabolism (691) 133
Çolak, A., Goodman, J.C., Chen, S.-H., Woo, S.L.C., Grossman, R.G. and Shine, H.D.
Adenovirus-mediated gene therapy for experimental spinal cord tumors: tumoricidal efficacy and functional outcome (691) 76
Collier, T.J., see Yoshimoto, Y. (691) 25
Craddock, S.D., see Pettigrew, L.C. (691) 243

Decker, K.P., Roy-Byrne, P.P. and Merchant, K.M.
Effect of muscimol on haloperidol-induced alteration of neurotensin gene expression in the striatum and nucleus accumbens in the rat (691) 9
De Groat, W.C., see Yoshiyama, M. (691) 185
De Lima, V.M.F., see Ulmer, H.J. (691) 239

El-Mas, M.M. and Abdel-Rahman, A.A.
Upregulation of imidazoline receptors in the medulla oblongata accounts for the enhanced hypotensive effect of clonidine in aortic barodenervated rats (691) 195

Faucheux, B.A., Herrero, M.T., Villares, J., Levy, R., Javoy-Agid, F., Obeso, J.A., Hauw, J.J., Agid, Y. and Hirsch, E.C.
Autoradiographic localization and density of [^{125}I]ferrotransferrin binding sites in the basal ganglia of control subjects, patients with Parkinson's disease and MPTP-lesioned monkeys (691) 115
Fischer, J.E., see Chance, W.T. (691) 180
Fonseca, M. and Soriano, E.
Calretinin-immunoreactive neurons in the normal human temporal cortex and in Alzheimer's disease (691) 83
Frim, D.M., see Yoshimoto, Y. (691) 25

Ginsberg, M.D., see Takagi, K. (691) 160
Gliemann, J., see Tooyama, I. (691) 235
Goodman, J.C., see Çolak, A. (691) 76
Gordey, M., Kang, M., Olsen, R.W. and Spigelman, I.
Zinc modulation of $GABA_A$ receptor-mediated chloride flux in rat hippocampal slices (691) 125
Gray, C.W. and Patel, A.J.
Neurodegeneration mediated by glutamate and β-amyloid peptide: a comparison and possible interaction (691) 169
Grossman, R.G., see Çolak, A. (691) 76

Hanke, W., see Ulmer, H.J. (691) 239
Hauw, J.J., see Faucheux, B.A. (691) 115
Herrero, M.T., see Faucheux, B.A. (691) 115
Higashi, H., see Shimizu, T. (691) 92
Hirsch, E.C., see Faucheux, B.A. (691) 115
Hochberg, R.B., see Kühnemann, S. (691) 229
Howells, D.W., see Jenkins, T.A. (691) 213

Inturrisi, C.E., see Jenab, S. (691) 69

Javoy-Agid, F., see Faucheux, B.A. (691) 115
Jenab, S., Kest, B. and Inturrisi, C.E.
Assessment of delta opioid antinociception and receptor mRNA levels in mouse after chronic naltrexone treatment (691) 69
Jenkins, T.A., Chai, S.Y., Howells, D.W. and Mendelsohn, F.A.O.
Intrastriatal angiotensin II induces turning behaviour in 6-hydroxydopamine lesioned rats (691) 213
Johanson, C.E., see Palm, D.E. (691) 1
Johnson, M.J., see Alloway, K.D. (691) 46

Kang, M., see Gordey, M. (691) 125
Kawamata, T., see Tooyama, I. (691) 235
Kest, B., see Jenab, S. (691) 69
Kimura, H., see Tooyama, I. (691) 235
Kittaka, H., see Tsunoda, K. (691) 18
Knuckey, N.W., see Palm, D.E. (691) 1
Kühnemann, S., Brown, T.J., Hochberg, R.B. and MacLusky, N.J.
Sexual differentiation of estrogen receptor concentrations in the rat brain: effects of neonatal testosterone exposure (691) 229

Lacombe, P., see Vaucher, E. (691) 57
Levy, R., see Faucheux, B.A. (691) 115
Lin, Q., see Yoshimoto, Y. (691) 25
Ling, E.A., see Tang, F.R. (691) 153
Ljubisavljević, M., Radovanović, S., Vukčević, I. and Anastasijević, R.
Fusimotor outflow to pretibial flexors during fatiguing contractions of the triceps surae in decerebrate cats (691) 99

MacLusky, N.J., see Kühnemann, S. (691) 229
Matsuo, A., see Tooyama, I. (691) 235
McGeer, P.L., see Tooyama, I. (691) 235
Mendelsohn, F.A.O., see Jenkins, T.A. (691) 213
Merchant, K.M., see Decker, K.P. (691) 9
Meyer, J.J., see Pettigrew, L.C. (691) 243
Moestrup, S.K., see Tooyama, I. (691) 235
Mori, M., see Nishimura, F. (691) 217

ELSEVIER

Brain Research 691 (1995) 248–249

BRAIN RESEARCH

Author Index

Aaron, G.B., see Alloway, K.D. (691) 46
Abdel-Rahman, A.A., see El-Mas, M.M. (691) 195
Afeche, S.C., see Cipolla-Neto, J. (691) 133
Agid, Y., see Faucheux, B.A. (691) 115
Akiyama, H., see Tooyama, I. (691) 235
Alloway, K.D., Johnson, M.J. and Aaron, G.B.
A comparative analysis of coordinated neuronal activity in the thalamic ventrobasal complex of rats and cats (691) 46
Anastasijević, R., see Ljubisavljević, M. (691) 99
Anderson, J.J., see Anderson, L.A. (691) 106
Anderson, L.A., Anderson, J.J., Chase, T.N. and Walters, J.R.
The cannabinoid agonists WIN 55,212-2 and CP 55,940 attenuate rotational behavior induced by a dopamine D_1 but not a D_2 agonist in rats with unilateral lesions of the nigrostriatal pathway (691) 106
Ariga, K., see Tsunoda, K. (691) 18

Baba, H., see Shimizu, T. (691) 92
Balasubramaniam, A., see Chance, W.T. (691) 180
Bartol, I., see Cipolla-Neto, J. (691) 133
Bohn, M.C., see Yoshimoto, Y. (691) 25
Borchers, M., see Chance, W.T. (691) 180
Borredon, J., see Vaucher, E. (691) 57
Breakefield, X.O., see Yoshimoto, Y. (691) 25
Brown, T.J., see Kühnemann, S. (691) 229
Busto, R., see Takagi, K. (691) 160
Butler, S.M., see Pettigrew, L.C. (691) 243

Chai, S.Y., see Jenkins, T.A. (691) 213
Chance, W.T., Balasubramaniam, A., Borchers, M. and Fischer, J.E.
Refractory hypothalamic adenylate cyclase in anorectic tumor-bearing rats: implications for NPY-induced feeding (691) 180
Chase, T.N., see Anderson, L.A. (691) 106
Chen, S.-H., see Çolak, A. (691) 76
Cipolla-Neto, J., Bartol, I., Seraphim, P.M., Afeche, S.C., Scialfa, J.H. and Peraçoli, A.M.
The effects of lesions of the thalamic intergeniculate leaflet on the pineal metabolism (691) 133
Çolak, A., Goodman, J.C., Chen, S.-H., Woo, S.L.C., Grossman, R.G. and Shine, H.D.
Adenovirus-mediated gene therapy for experimental spinal cord tumors: tumoricidal efficacy and functional outcome (691) 76
Collier, T.J., see Yoshimoto, Y. (691) 25
Craddock, S.D., see Pettigrew, L.C. (691) 243

Decker, K.P., Roy-Byrne, P.P. and Merchant, K.M.
Effect of muscimol on haloperidol-induced alteration of neurotensin gene expression in the striatum and nucleus accumbens in the rat (691) 9
De Groat, W.C., see Yoshiyama, M. (691) 185
De Lima, V.M.F., see Ulmer, H.J. (691) 239

El-Mas, M.M. and Abdel-Rahman, A.A.
Upregulation of imidazoline receptors in the medulla oblongata accounts for the enhanced hypotensive effect of clonidine in aortic barodenervated rats (691) 195

Faucheux, B.A., Herrero, M.T., Villares, J., Levy, R., Javoy-Agid, F., Obeso, J.A., Hauw, J.J., Agid, Y. and Hirsch, E.C.
Autoradiographic localization and density of [^{125}I]ferrotransferrin binding sites in the basal ganglia of control subjects, patients with Parkinson's disease and MPTP-lesioned monkeys (691) 115
Fischer, J.E., see Chance, W.T. (691) 180
Fonseca, M. and Soriano, E.
Calretinin-immunoreactive neurons in the normal human temporal cortex and in Alzheimer's disease (691) 83
Frim, D.M., see Yoshimoto, Y. (691) 25

Ginsberg, M.D., see Takagi, K. (691) 160
Gliemann, J., see Tooyama, I. (691) 235
Goodman, J.C., see Çolak, A. (691) 76
Gordey, M., Kang, M., Olsen, R.W. and Spigelman, I.
Zinc modulation of $GABA_A$ receptor-mediated chloride flux in rat hippocampal slices (691) 125
Gray, C.W. and Patel, A.J.
Neurodegeneration mediated by glutamate and β-amyloid peptide: a comparison and possible interaction (691) 169
Grossman, R.G., see Çolak, A. (691) 76

Hanke, W., see Ulmer, H.J. (691) 239
Hauw, J.J., see Faucheux, B.A. (691) 115
Herrero, M.T., see Faucheux, B.A. (691) 115
Higashi, H., see Shimizu, T. (691) 92
Hirsch, E.C., see Faucheux, B.A. (691) 115
Hochberg, R.B., see Kühnemann, S. (691) 229
Howells, D.W., see Jenkins, T.A. (691) 213

Inturrisi, C.E., see Jenab, S. (691) 69

Javoy-Agid, F., see Faucheux, B.A. (691) 115
Jenab, S., Kest, B. and Inturrisi, C.E.
Assessment of delta opioid antinociception and receptor mRNA levels in mouse after chronic naltrexone treatment (691) 69
Jenkins, T.A., Chai, S.Y., Howells, D.W. and Mendelsohn, F.A.O.
Intrastriatal angiotensin II induces turning behaviour in 6-hydroxydopamine lesioned rats (691) 213
Johanson, C.E., see Palm, D.E. (691) 1
Johnson, M.J., see Alloway, K.D. (691) 46

Kang, M., see Gordey, M. (691) 125
Kawamata, T., see Tooyama, I. (691) 235
Kest, B., see Jenab, S. (691) 69
Kimura, H., see Tooyama, I. (691) 235
Kittaka, H., see Tsunoda, K. (691) 18
Knuckey, N.W., see Palm, D.E. (691) 1
Kühnemann, S., Brown, T.J., Hochberg, R.B. and MacLusky, N.J.
Sexual differentiation of estrogen receptor concentrations in the rat brain: effects of neonatal testosterone exposure (691) 229

Lacombe, P., see Vaucher, E. (691) 57
Levy, R., see Faucheux, B.A. (691) 115
Lin, Q., see Yoshimoto, Y. (691) 25
Ling, E.A., see Tang, F.R. (691) 153
Ljubisavljević, M., Radovanović, S., Vukčević, I. and Anastasijević, R.
Fusimotor outflow to pretibial flexors during fatiguing contractions of the triceps surae in decerebrate cats (691) 99

MacLusky, N.J., see Kühnemann, S. (691) 229
Matsuo, A., see Tooyama, I. (691) 235
McGeer, P.L., see Tooyama, I. (691) 235
Mendelsohn, F.A.O., see Jenkins, T.A. (691) 213
Merchant, K.M., see Decker, K.P. (691) 9
Meyer, J.J., see Pettigrew, L.C. (691) 243
Moestrup, S.K., see Tooyama, I. (691) 235
Mori, M., see Nishimura, F. (691) 217

Mori, N., see Tsunoda, K. (691) 18

Nakamura, S., see Zhang, Y.-X. (691) 205
Nishihara, M., see Nishimura, F. (691) 217
Nishimura, F., Nishihara, M., Mori, M., Torii, K. and Takahashi, M.
Excitability of neurons in the ventromedial nucleus in rat hypothalamic slices: modulation by amino acids at cerebrospinal fluid levels (691) 217

Obeso, J.A., see Faucheux, B.A. (691) 115
Ogata, S.-i., see Tsunoda, K. (691) 18
Ohshita, T., see Zhang, Y.-X. (691) 205
Olsen, R.W., see Gordey, M. (691) 125
Osonoe, M., see Tsunoda, K. (691) 18
Owens Jr, J. and Schwartzkroin, P.A.
Suppression of evoked IPSPs by arachidonic acid and prostaglandin $F_{2\alpha}$ (691) 223

Palm, D.E., Knuckey, N.W., Primiano, M.J., Spangenberger, A.G. and Johanson, C.E.
Cystatin C, a protease inhibitor, in degenerating rat hippocampal neurons following transient forebrain ischemia (691) 1
Panneton, W.M. and Yavari, P.
A medullary dorsal horn relay for the cardiorespiratory responses evoked by stimulation of the nasal mucosa in the muskrat *Ondatra zibethicus*: evidence for excitatory amino acid transmission (691) 37
Patel, A.J., see Gray, C.W. (691) 169
Peraçoli, A.M., see Cipolla-Neto, J. (691) 133
Pettigrew, L.C., Meyer, J.J., Craddock, S.D., Butler, S.M., Tai, H.-H. and Yokel, R.A.
Delayed elevation of platelet activating factor in ischemic hippocampus (691) 243
Primiano, M.J., see Palm, D.E. (691) 1

Radovanović, S., see Ljubisavljević, M. (691) 99
Robinson, P.P., see Smith, K.G. (691) 142
Roppolo, J.R., see Yoshiyama, M. (691) 185
Roy-Byrne, P.P., see Decker, K.P. (691) 9

Saitoh, H., see Tsunoda, K. (691) 18
Sawamoto, N., see Zhang, Y.-X. (691) 205
Schwartzkroin, P.A., see Owens Jr, J. (691) 223
Scialfa, J.H., see Cipolla-Neto, J. (691) 133
Seraphim, P.M., see Cipolla-Neto, J. (691) 133
Seylaz, J., see Vaucher, E. (691) 57
Shimizu, T., Yoshimura, M., Baba, H., Shimoji, K. and Higashi, H.
Role of Aδ afferent fibers in modulation of primary afferent input to the adult rat spinal cord (691) 92
Shimoji, K., see Shimizu, T. (691) 92
Shine, H.D., see Çolak, A. (691) 76
Smith, K.G. and Robinson, P.P.
The effect of delayed nerve repair on the properties of regenerated fibres in the chorda tympani (691) 142
Soriano, E., see Fonseca, M. (691) 83
Spangenberger, A.G., see Palm, D.E. (691) 1
Spigelman, I., see Gordey, M. (691) 125

Tai, H.-H., see Pettigrew, L.C. (691) 243
Takagi, K., Zhao, W., Busto, R. and Ginsberg, M.D.
Local hemodynamic changes during transient middle cerebral artery occlusion and recirculation in the rat: a [^{14}C]iodoantipyrine autoradiographic study (691) 160
Takahashi, M., see Nishimura, F. (691) 217
Tan, C.K., see Tang, F.R. (691) 153
Tang, F.R., Tan, C.K. and Ling, E.A.
A comparative study of NADPH-diaphorase in the sympathetic preganglionic neurons of the upper thoracic cord between spontaneously hypertensive rats and Wistar-Kyoto rats (691) 153
Tooyama, I., Kawamata, T., Akiyama, H., Kimura, H., Moestrup, S.K., Gliemann, J., Matsuo, A. and McGeer, P.L.
Subcellular localization of the low density lipoprotein receptor-related protein (α_2-macroglobulin receptor) in human brain (691) 235
Torii, K., see Nishimura, F. (691) 217
Tsunoda, K., Mori, N., Osonoe, M., Ariga, K., Saitoh, H., Kittaka, H. and Ogata, S.-i.
Different effect of hippocampal granule cell destruction on amygdaloid kindling in Sprague-Dawley and Wistar rats (691) 18

Ulmer, H.J., De Lima, V.M.F. and Hanke, W.
Effects of nitric oxide on the retinal spreading depression (691) 239

Vaucher, E., Borredon, J., Seylaz, J. and Lacombe, P.
Autoradiographic distribution of cerebral blood flow increases elicited by stimulation of the nucleus basalis magnocellularis in the unanesthetized rat (691) 57
Villares, J., see Faucheux, B.A. (691) 115
Vukčević, I., see Ljubisavljević, M. (691) 99

Walters, J.R., see Anderson, L.A. (691) 106
Woo, S.L.C., see Çolak, A. (691) 76

Yamashita, H., see Zhang, Y.-X. (691) 205
Yavari, P., see Panneton, W.M. (691) 37
Yokel, R.A., see Pettigrew, L.C. (691) 243
Yoshimoto, Y., Lin, Q., Collier, T.J., Frim, D.M., Breakefield, X.O. and Bohn, M.C.
Astrocytes retrovirally transduced with BDNF elicit behavioral improvement in a rat model of Parkinson's disease (691) 25
Yoshimura, M., see Shimizu, T. (691) 92
Yoshiyama, M., Roppolo, J.R. and De Groat, W.C.
Effects of GYKI 52466 and CNQX, AMPA/kainate receptor antagonists, on the micturition reflex in the rat (691) 185

Zhang, Y.-X., Yamashita, H., Ohshita, T., Sawamoto, N. and Nakamura, S.
ATP increases extracellular dopamine level through stimulation of P_{2Y} purinoceptors in the rat striatum (691) 205
Zhao, W., see Takagi, K. (691) 160